



Milan Blagojević AD Smederevo  
Since 1923



*Smederevac*



Štednjaci i peći za etažno grejanje <b>Central heating cookers and stoves</b>	3 - 16
Štednjaci na čvrsta goriva <b>Solid fuel cookers</b>	17 - 31
Peći na čvrsta goriva <b>Solid fuel stoves</b>	33 - 46
Elektro i kombinovani štednjaci <b>Electric and dual fuel cookers</b>	47 - 58
Tabela tehničkih karakteristika <b>Technical data table</b>	59 - 66
Sertifikati <b>Certificates</b>	66 - 67
MBS Istorija <b>MBS History</b>	68

## O nama About MBS

Milan Blagojević iz Smedereva je privatna fabrika u okviru Invej grupacije. Osnovni asortiman proizvoda su šporeti i peći na čvrsto gorivo / električni šporeti sa najvećim međunarodnim standardima kvaliteta. Fabrika je otvorila svoj put na evropska i svetska tržišta svojim stalnim razvojem i prilagođavanjem zahtevima različitih tržišta.

Fabrika je osnovana 1923 god. i od tada do danas je stvorila prepoznatljivi proizvođački brend tradicije i kvaliteta. Ostvarene su saradnje sa francusko - belgijskom firmom ARTUR-MARTIN, korporacijom CANDY, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

Rukovodstvo MBS-a ima vodeću ulogu u primeni i stalnom poboljšavanju sistema upravljanja kvalitetom i zaštitom životne sredine, usaglašenog sa zahtevima standarda ISO 9001:2008 i ISO 14001:2009.

**Milan Blagojević from Smederevo is privately owned factory and it is integral part of Invej group.**

**Basic assortment of our products are wood-cookers and stoves /electric range cookers in accordance with international quality standards.**

**Our company had created its own path on European and World markets by constant improvement and adjusting to various markets requirements.**

**Factory was founded in the year 1923 and until now it has created well recognized manufacturing brand, tradition and quality. Company had realised cooperation with French-Belgium company ARTHUR-MARTIN, CANDY group, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.**

**MBS management has leading role in implementing and constant improvement of quality management system and environmental management system in accordance with requirements of standards ISO 9001:2008 and ISO 14001:2009.**



Štednjaci i peći  
za etažno grejanje  
**Central heating  
cookers and  
stoves**



## Thermo AS Thermo AS LUX

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	845x900x654 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	350x287x416 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	270x350x470 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	21 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	10 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	11 kW
Zapremina kotla <b>Boiler volume</b>	19 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	73 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 150 mm
Tip goriva <b>Fuel type</b>	drvo wood

Boje  
Colors



## Thermo Rocky



Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	850x900x600 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	400x290x430 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	270x350x470 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	22 kW / 17 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	13 kW / 9,4 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	9 kW / 7,6 kW
Zapremina kotla <b>Boiler volume</b>	22 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	87 % / 82 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 150 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal



## Thermo Magnum Thermo Magnum S

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	860x1075x660 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	325x320x400 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	270x350x470 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	14 kW / 17 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	9 kW / 9 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	5 kW / 8 kW
Zapremina kotla <b>Boiler volume</b>	11 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	89 % / 85 %
Odvod dima <b>Fume outlet</b>	zadnji, centralni / <b>back, up /</b> Ø 150 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj <b>wood, coal</b>

Boje  
Colors



## Super Thermo Magnum Super Thermo Magnum S

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	860x1075x660 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	320x400x410 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	272x270x420 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	20 kW / 20 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	10 kW / 13 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	10 kW / 7 kW
Zapremina kotla <b>Boiler volume</b>	19 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	86 % / 89 %
Odvod dima <b>Fume outlet</b>	zadnji, centralni / back, up / Ø 130 / 150 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal



Boje  
Colors

## Thermo Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	260x180x420 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	11 kW / 14 kW
<b>Power (wood / coal)</b>	
Snaga predata vodi (drvo / ugalj)	6 kW / 6 kW
<b>Power given to water (wood / coal)</b>	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
<b>Power given to room (wood / coal)</b>	
Zapremina kotla	4 l
<b>Boiler volume</b>	
Stepen iskorišćenja (drvo / ugalj)	86 % / 86 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	levi, desni, zadnji, centralni /
<b>Fume outlet</b>	<b>left, right, back, up /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>

Boje  
Colors



## Thermo Vulkan Thermo Vulkan S

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	790x650x580 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	320x410x400 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	19,7 kW / 24,8 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	14 kW / 14,6 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	5,7 kW / 10,2 kW
Zapremina kotla <b>Boiler volume</b>	24 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	86 % / 85 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) <b>Fuel type (wood / coal)</b>	drvo, ugalj wood, coal



Boje  
Colors

## Thermo Vulkan Plus

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	1175x650x580 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	300x425x400 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	270x350x470 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	24 kW / 23 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	15 kW / 14 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	9 kW / 9 kW
Zapremina kotla <b>Boiler volume</b>	18 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	85 % / 86 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) <b>Fuel type (wood / coal)</b>	drvo, ugalj wood, coal



## Thermo In

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	1000x650x545 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	390x410x370 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	16 kW / 19 kW
Snaga predata vodi (drvo / ugalj) <b>Power given to water (wood / coal)</b>	8 kW / 8 kW
Snaga predata okolini (drvo / ugalj) <b>Power given to room (wood / coal)</b>	8 kW / 11 kW
Zapremina kotla <b>Boiler volume</b>	23 l
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	88 % / 87 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) <b>Fuel type (wood / coal)</b>	drvo, ugalj wood, coal



Boje  
Colors

## Thermo Vesta

Dimenzije (VxŠxD)	890x455x440 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	410x215x335 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	8 kW / 11 kW
<b>Power (wood / coal)</b>	
Snaga predana vodi (drvo / ugalj)	6,5 kW / 9 kW
<b>Power given to water (wood / coal)</b>	
Snaga predana okolini (drvo / ugalj)	1,5 kW / 2 kW
<b>Power given to room (wood / coal)</b>	
Zapremina kotla	4 l
<b>Boiler volume</b>	
Stepen iskorišćenja (drvo / ugalj)	83 % / 82 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	up / Ø 120 mm
Tip goriva (drvo / ugalj)	drvo, ugalj
<b>Fuel type (wood / coal)</b>	wood, coal

Boje  
Colors



## MBS Thermo Pellet 12 / 18

	12	18
Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	1170x600x700 mm	
Snaga <b>Power</b>	12 kW	18 kW
Snaga predata vodi <b>Power given to water</b>	8 kW	14 kW
Snaga predata okolini <b>Power given to room</b>	4 kW	4 kW
Snaga električnog dela <b>Power of electric part</b>	0,5 kW	
Zapremina kotla <b>Boiler volume</b>	46 l	
Stepen iskorišćenja <b>Efficiency</b>	93,5 %	90 %
Odvod dima <b>Fume outlet</b>	zadnji / back / Ø 80 mm	
Tip goriva <b>Fuel type</b>	pelet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje <b>Weekly programming (up to seven days in advance) / Automatic start-up / Remote control</b>		



## MBS Thermo Pellet 20

Dimenzije (VxŠxD)  
**Dimensions (HxWxD)** 1170x600x700 mm

Snaga  
**Power** 20 kW

Snaga predata vodi  
**Power given to water** 16 kW

Snaga predata okolini  
**Power given to room** 4 kW

Snaga električnog dela  
**Power of electric part** 0,5 kW

Zapremina kotla  
**Boiler volume** 46 l

Stepen iskorišćenja  
**Efficiency** 90 %

Odvod dima  
**Fume outlet** zadnji /  
back /  $\varnothing$  80 mm

Tip goriva  
**Fuel type** pelet  
pellet

Nedeljno programiranje rada (do sedam dana unapred) /  
Automatsko puštanje u rad / Daljinsko upravljanje  
**Weekly programming (up to seven days in advance) /**  
**Automatic start-up / Remote control**

Boje  
Colors





## MBS Thermo Pellet 25 / 35

	25	35
Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	1290x630x815mm	
Snaga <b>Power</b>	25 kW	35 kW
	24 kW	34 kW
	1 kW	1 kW
Snaga električnog dela <b>Power of electric part</b>	0,53 kW	
Zapremina kotla <b>Boiler volume</b>	70 l	
Stepen iskorišćenja <b>Efficiency</b>	90 %	
Odvod dima <b>Fume outlet</b>	zadnji / back / Ø 80 mm	
Tip goriva <b>Fuel type</b>	pelet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje <b>Weekly programming (up to seven days in advance) / Automatic start-up / Remote control</b>		



## Don MBS 22

Dimenzije (VxŠxD)  
**Dimensions (HxWxD)** 1350x660x730 mm

Snaga  
**Power** 22 kW

Snaga električnog dela  
**Power of electric part** 0,53 kW

Zapremina kotla  
**Boiler volume** 41 l

Stepen iskorišćenja  
**Efficiency** 90 %

Odvod dima  
**Fume outlet** zadnji /  
**back /**  $\varnothing$  80 mm


Tip goriva  
**Fuel type** pelet  
**pellet**

Nedeljno programiranje rada (do sedam dana unapred) /  
Automatsko puštanje u rad / Daljinsko upravljanje  
**Weekly programming (up to seven days in advance) /**  
**Automatic start-up / Remote control**

Boje  
**Colors**



# Štednjaci na čvrsto gorivo Solid fuel cookers



## Strong pellet

Dimenzije (VxŠxD)  
**Dimensions (HxWxD)** 870x910x655 mm

Dimenzije pećnice (VxŠxD)  
**Oven dimensions (HxWxD)** 300x300x450 mm

Snaga  
**Power** 11,5 kW

Stepen iskorišćenja  
**Efficiency** 90 %

Odvod dima  
**Fume outlet** centralni /  
up / Ø 120 mm

Tip goriva  
**Fuel type** pelet  
pellet

Nedeljno programiranje rada (do sedam dana unapred) /  
Automatsko puštanje u rad / Daljinsko upravljanje  
**Weekly programming (up to seven days in advance) /  
Automatic start-up / Remote control**

Boje  
Colors





## Strong

Dimenzije (VxŠxD)	865x915x655 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	440x300x445 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	10 kW / 7,5 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	81 % / 80 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	centralni, zadnji /
<b>Fume outlet</b>	<b>up, back /</b> $\varnothing$ 120 / 130 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



Boje  
Colors

## AS AS LUX

Dimenzije (VxŠxD)	845x900x654 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	270x270x350 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo)	8 kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	78 %
<b>Efficiency (wood)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	up / Ø 150 mm
Tip goriva	drvo
<b>Fuel type</b>	<b>wood</b>

Boje  
Colors



## Rocky

Dimenzije (VxŠxD)	850x900x600 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	400x320x450 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	11 kW / 12 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	81 %/ 80 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	<b>up /</b> Ø 150 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



# Magnum Magnum S

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	865x1070x660 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	270x270x350 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	270x350x470 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	11 kW / 12 kW
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	89 % / 85 %
Odvod dima <b>Fume outlet</b>	centralni, zadnji / up, back / Ø 120 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal

Boje  
Colors





## Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	8 kW / 7 kW
<b>Power</b>	
Stepen iskorišćenja (drvo / ugalj)	73 % / 71 %
<b>Efficiency</b>	
Odvod dima	levi, desni, centralni, zadnji /
<b>Fume outlet</b>	<b>left, right, up, back /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



Boje  
Colors

## Royal 900

Dimenzije (VxŠxD)	850x900x600 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	9 kW / 9 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	60 %/ 62 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	levi, desni, centralni, zadnji /
<b>Fume outlet</b>	<b>left, right, up, back /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>

Boje  
Colors



## Trend



Dimenzije (VxŠxD)	855x900x495 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	270x335x370 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	205x370x325 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	7,5 kW/ 8 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	77 % / 73 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	levi, desni /
<b>Fume outlet</b>	<b>left, right /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



## Smederevac MBS 10

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	850x945x645 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	250x200x400 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	200x490x460 mm
Snaga (drvo) <b>Power (wood)</b>	11 kW
Stepen iskorišćenja (drvo) <b>Efficiency (wood)</b>	85 %
Odvod dima <b>Fume outlet</b>	levi, desni / left, right / Ø 120 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal

Boje  
Colors



## Smederevac MBS 9 RS




Dimenzije (VxŠxD)	740x945x645 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo)	11 kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	85 %
<b>Efficiency (wood)</b>	
Odvod dima	levi, desni /
<b>Fume outlet</b>	<b>left, right /</b> Ø 120 mm
Tip goriva	drvo, uglj
<b>Fuel type</b>	<b>wood, coal</b>



## Smederevac MBS 9 SL

Dimenzije (VxŠxD)	740x945x645 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo)	11 kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	60 %
<b>Efficiency (wood)</b>	
Odvod dima	levi, desni /
<b>Fume outlet</b>	<b>left, right /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>

Boje  
Colors



## Smederevac MBS 7 RS



Dimenzije (VxŠxD)	740x820x645 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo)	9,5 kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	83 %
<b>Efficiency (wood)</b>	
Odvod dima	levi, desni /
<b>Fume outlet</b>	<b>left, right /</b> Ø 120 mm
Tip goriva	drvo, uglj
<b>Fuel type</b>	<b>wood, coal</b>



## Smederevac MBS 7 SL

Dimenzije (VxŠxD)	740x820x645 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo)	8,5 kW / 9,5kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	85 % / 86 %
<b>Efficiency (wood)</b>	
Odvod dima	levi, desni /
<b>Fume outlet</b>	<b>left, right /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>

Boje  
Colors





## Smederevac MBS 3

Dimenzije (VxŠxD)	740x720x570 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	195x200x300 mm
<b>Firebox dimensions (HxWxD)</b>	
Dimenzije pećnice (VxŠxD)	200x300x400 mm
<b>Oven dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	6,5kW / 10 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	81 % / 85 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	levi, desni /
<b>Fume outlet</b>	<b>left, right /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>





Peći  
na čvrsto gorivo  
**Solid fuel  
stoves**



## Eva

Dimenzije (VxŠxD)	780x605x555 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	400x500x420 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo)	10 kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	75 %
<b>Efficiency (wood)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	up / Ø 120 mm
Tip goriva	drvo
<b>Fuel type</b>	<b>wood</b>



## Elit

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	985x588x493 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	300x400x350 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	8,6 kW / 9 kW
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	76 % / 74 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 120 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal



## Vulkan Vulkan S

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	735x650x545 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	265x390x400 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	17 kW / 21 kW
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	83 % / 84 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 150 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal



## Olymp Olymp S

Dimenzije (VxŠxD)	850x580x625 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	300x290x365 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	12 kW / 12 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	80 % / 82 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	zadnji /
<b>Fume outlet</b>	<b>back /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



Boje  
Colors

## Olympia Olympia S

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	1120x580x625 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	300x290x365 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	280x270x420 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	12 kW / 18 kW
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	87 % / 87 %
Odvod dima <b>Fume outlet</b>	zadnji / back / Ø 120 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal

Boje  
Colors



## Vesta

Dimenzije (VxŠxD)	890x455x440 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	400x290x335 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	9 kW / 9,5 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	85 % / 86 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	<b>up /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



Boje  
Colors

## Vesta Plus

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	940x455x440 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	240x325x350 mm
Snaga (drvo / ugalj) <b>Power (wood / coal)</b>	9 kW / 11 kW
Stepen iskorišćenja (drvo / ugalj) <b>Efficiency (wood / coal)</b>	83 % / 87 %
Odvod dima <b>Fume outlet</b>	centralni / up / $\varnothing$ 120 mm
Tip goriva <b>Fuel type</b>	drvo, ugalj wood, coal

Boje  
Colors



## Hit

Dimenzije (VxŠxD)	885x550x440 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	270x290x300 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	11 kW / 13 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	82 % / 83 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	<b>up /</b> Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	<b>wood, coal</b>



## Corner

Dimenzije (VxŠxD)	885x640x575 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	10 kW / 12 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	81 % / 86 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	up / Ø 120 mm
Tip goriva	drvo, ugalj
<b>Fuel type</b>	wood, coal

Boje  
Colors





## Hera

Dimenzije (VxŠxD)	850x400x560 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	350x290x300 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo)	7 kW
<b>Power (wood)</b>	
Stepen iskorišćenja (drvo)	89 %
<b>Efficiency (wood)</b>	
Odvod dima	centralni /
<b>Fume outlet</b>	up / Ø 120 mm
Tip goriva	drvo, uglj
<b>Fuel type</b>	<b>wood, coal</b>



Boje  
Colors

## Happy

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	745x400x410 mm
Dimenzije ložišta (VxŠxD) <b>Firebox dimensions (HxWxD)</b>	250x270x300 mm
Snaga (drvo) <b>Power (wood)</b>	6 kW
Stepen iskorišćenja (drvo) <b>Efficiency (wood)</b>	82 %
Odvod dima <b>Fume outlet</b>	centralni / up / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj) <b>Fuel type / Consumption (wood / coal)</b>	drvo, ugalj wood, coal

Boje  
Colors



## PG-1

Dimenzije (VxŠxD)	870x400x490 mm
<b>Dimensions (HxWxD)</b>	
Dimenzije ložišta (VxŠxD)	380x275x300 mm
<b>Firebox dimensions (HxWxD)</b>	
Snaga (drvo / ugalj)	6 kW / 6 kW
<b>Power (wood / coal)</b>	
Stepen iskorišćenja (drvo / ugalj)	60 % / 62 %
<b>Efficiency (wood / coal)</b>	
Odvod dima	zadnji /
<b>Fume outlet</b>	<b>back /</b> Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
<b>Fuel type / Consumption (wood / coal)</b>	<b>wood, coal</b>



Boje  
Colors

## MBS Pellet 6 / 8,5 / 10

	6	8,5	10
Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	980x570x500 mm		
Snaga <b>Power</b>	6 kW	8,5 kW	10 kW
Snaga električnog dela <b>Power of electric part</b>	0,5 kW		
Stepen iskorišćenja <b>Efficiency</b>	88 %		
Odvod dima <b>Fume outlet</b>	zadnji / <b>back /</b> Ø 80 mm		
Tip goriva <b>Fuel type</b>	pelet <b>pellet</b>		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje <b>Weekly programming (up to seven days in advance) / Automatic start-up / Remote control</b>			

Boje  
Colors



Električni i  
kombinovani  
proizvodi  
**Electric and  
dual fuel  
products**



## NL50

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	850x500x600 mm
<input type="radio"/> Ringla - brzo grejuća <input checked="" type="radio"/> <b>Hot plate - fast heating</b>	Ø180 mm/2,0 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> <b>Hot plate - standard</b>	Ø145 mm/1,0 kW
<input type="radio"/> Ringla - standardna <input checked="" type="radio"/> <b>Hot plate - standard</b>	Ø145 mm/1,0 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> <b>Hot plate - standard</b>	Ø180 mm/1,5 kW
Dimenzije pećnice (VxŠxD) <b>Oven dimensions(HxWxD)</b>	280x420x470 mm
Zapremina pećnice / <b>Oven volume</b>	55 l
Gornji grejač / <b>Upper heater</b>	1,0 kW
Donji grejač / <b>Bottom heater</b>	1,0 kW
Svetiljka / <b>Light</b>	15 W
Emajlirana tava / <b>Enamelled frying pan</b>	•
Rešetka / <b>Grid</b>	•
Osvetljenje pećnice / <b>Oven light</b>	•

Boje  
Colors



## NL508



Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	850x500x600 mm
○ Ringla - brzo grejuća ● <b>Hot plate - fast heating</b>	Ø180 mm/2,0 kW
● Ringla - standardna ○ <b>Hot plate - standard</b>	Ø145 mm/1,0 kW
○ Ringla - standardna ● <b>Hot plate - standard</b>	Ø80 mm/0,45 kW
● Ringla - standardna ○ <b>Hot plate - standard</b>	Ø180 mm/1,5 kW
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	280x420x470 mm
Zapremina pećnice / <b>Oven volume</b>	55 l
Gornji grejač / <b>Upper heater</b>	1,0 kW
Donji grejač / <b>Bottom heater</b>	1,0 kW
Svetiljka / <b>Light</b>	15 W
Emaljirana tava / <b>Enamelled frying pan</b>	•
Rešetka / <b>Grid</b>	•
Osvetljenje pećnice / <b>Oven light</b>	•

Boje  
Colors

## NL60

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	850x600x600 mm
<input type="radio"/> Ringla - standardna <input checked="" type="radio"/> <b>Hot plate - fast heating</b>	Ø180 mm/1,5 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> <b>Hot plate - standard</b>	Ø145 mm/1,0 kW
<input type="radio"/> Ringla - brzogrejuća <input checked="" type="radio"/> <b>Hot plate - standard</b>	Ø145 mm/1,05 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> <b>Hot plate - standard</b>	Ø220 mm/2,0 kW
Dimenzije pećnice (VxŠxD) <b>Oven dimensions(HxWxD)</b>	280x420x470 mm
Zapremina pećnice / <b>Oven volume</b>	55 l
Gornji grejač / <b>Upper heater</b>	1,0 kW
Donji grejač / <b>Bottom heater</b>	1,0 kW
Svetiljka / <b>Light</b>	15 W
Emaljirana tava / <b>Enamelled frying pan</b>	•
Rešetka / <b>Grid</b>	•
Osvetljenje pećnice / <b>Oven light</b>	•

Boje  
Colors



## Mini



Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	315x570x350 mm
Ukupna instalisana snaga <b>Total installed power</b>	3,6 kW
●○ Ringla - standardna <b>Hot plate - standard</b>	Ø145mm/1,0 kW
○● Ringla - standardna <b>Hot plate - standard</b>	Ø180mm/1,5 kW
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	205x367x325 mm
Zapremina pećnice / <b>Oven volume</b>	23 l
Gornji grejač / <b>Upper heater</b>	550 W
Donji grejač / <b>Bottom heater</b>	550 W
Maksimalna temperatura pećnice / <b>Max oven temperature</b>	250°C
Emajlirana tava / <b>Enamelled frying pan</b>	•
Rešetka / <b>Grid</b>	•
Vrata sa dvostrukim staklom / <b>Double glass door</b>	•
Energetska efikasnost / <b>Energy efficiency class</b>	A



## Mini Glass

Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	315x570x350 mm
Ukupna instalirana snaga <b>Total installed power</b>	3,5 kW
●○ Leva grejna površina <b>Left cooking zone</b>	Ø145 mm / 1,2 kW
○● Desna grejna površina <b>Right cooking zone</b>	Ø145 mm / 1,2 kW
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	205x367x325 mm
Zapremina pećnice / <b>Oven volume</b>	22 l
Gornji grejač / <b>Upper heater</b>	550 W
Donji grejač / <b>Bottom heater</b>	550 W
Maksimalna temperatura pećnice / <b>Max oven temperature</b>	250°C
Emajlirana tava / <b>Enamelled frying pan</b>	•
Rešetka / <b>Grid</b>	•
Vrata sa dvostrukim staklom / <b>Double glass door</b>	•
Energetska efikasnost / <b>Energy efficiency class</b>	A

Boje  
Colors



## Mini Gas



Dimenzije (VxŠxD) <b>Dimensions (HxWxD)</b>	350x570x350 mm
Ukupna instalisana snaga <b>Total installed power</b>	5,1 kW
●○ Gorionik - veliki <b>Burner - large</b>	3 kW
○● Gorionik - mali <b>Burner - small</b>	1 kW
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	205x367x325 mm
Zapremina pećnice / <b>Oven volume</b>	22 l
Gornji grejač / <b>Upper heater</b>	550 W
Donji grejač / <b>Bottom heater</b>	550 W
Maksimalna temperatura pećnice / <b>Max oven temperature</b>	250°C
Emajlirana tava / <b>Enamelled frying pan</b>	•
Rešetka / <b>Grid</b>	•
Vrata sa dvostrukim staklom / <b>Double glass door</b>	•
Energetska efikasnost / <b>Energy efficiency class</b>	A



## Mini UP

Dimenzije (VxŠxD) / Dimensions (HxWxD)	370x515x408 mm
Dimenzije prostora za ugradnju (VxŠxD) <b>Built-in area dimensions (HxWxD)</b>	365x490x450 mm
Dimenzije pećnice (VxŠxD) <b>Oven dimensions (HxWxD)</b>	205x367x325 mm
Zapremina pećnice / Oven volume	24,5 l
Ukupna snaga / Total power	1,1 kW
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Težina / Weight	18,5 kg
Maksimalna temperatura pečenja <b>Max oven temperature</b>	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom <b>Double glass door</b>	•
Tajmer / Timer	•

Boja  
Color



## SD-54 INOX



Širina / <b>Width</b>	60 cm
Kapacitet / <b>Capacity</b>	650 m <sup>3</sup> /h
Broj i snaga motora <b>Number and power of motors</b>	1 x 120 W
Svetlo / <b>Light</b>	2 x 25 W
Ukupna snaga / <b>Total power</b>	170 W
Priključak odvoda / <b>Outlet connection</b>	120 mm

 Boja  
Color

## 7001 G

Širina / <b>Width</b>	60 cm
Kapacitet / <b>Capacity</b>	550 m <sup>3</sup> /h
Broj i snaga motora <b>Number and power of motors</b>	2 x 90 W
Svetlo / <b>Light</b>	1 x 25 W
Ukupna snaga / <b>Total power</b>	205 W
Priključak odvoda / <b>Outlet connection</b>	120 mm



Boja  
Color



## 3501 INOX



Širina / Width	60 cm
Kapacitet / Capacity	280 m <sup>3</sup> /h
Broj i snaga motora Number and power of motors	1 x 90 W
Svetlo / Light	1 x 25 W
Ukupna snaga / Total power	115 W
Priključak odvoda / Outlet connection	120 mm



Boja  
Color

## 3501 W

Širina / <b>Width</b>	60 cm
Kapacitet / <b>Capacity</b>	280 m <sup>3</sup> /h
Broj i snaga motora <b>Number and power of motors</b>	1 x 90 W
Svetlo / <b>Light</b>	1 x 25 W
Ukupna snaga / <b>Total power</b>	115 W
Priključak odvoda / <b>Outlet connection</b>	120 mm



Boja  
Color



Tabela tehničkih  
karakteristika  
**Technical data table**



MODEL / MODEL	Thermo AS Thermo AS LUX	Thermo Rocky	Thermo Magnum Thermo Magnum S	Super Thermo Magnum / S	Thermo Royal 720
Dimenzije (VxŠxD) / Dimensions (HxWxD)	845x900x654 mm	850x900x600 mm	860x1075x660 mm	860x1075x660 mm	850x720x600 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	350x287x416 mm	400x290x430 mm	325x320x400 mm	320x400x410 mm	260x180x420 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x350x470 mm	270x350x470 mm	270x350x470 mm	272x270x420 mm	270x350x470 mm
Snaga (drvo / ugalj) / Power (wood / coal)	21 kW / ---	22 kW / 17 kW	14 kW / 17 kW	20 kW / 20 kW	11 kW / 14 kW
Snaga predata vodi (drvo / ugalj) / Power given to water (wood / coal)	10 kW / ---	13 kW / 9,4 kW	9 kW / 9 kW	10 kW / 13 kW	6 kW / 6 kW
Snaga predata okolini (drvo / ugalj) / Power given to room (wood / coal)	11 kW / ---	9 kW / 7,6 kW	5 kW / 8 kW	10 kW / 7 kW	5 kW / 8 kW
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	73 % / ---	87 % / 82 %	89 % / 85 %	86 % / 89 %	86 % / 86 %
Emisija CO (svedeno na 13% O <sub>2</sub> ) (drvo / ugalj) / The average CO value (taken from 13% O <sub>2</sub> ) (wood / coal)	0,87 % / ---	0,053% / 0,092%	0,070% / 0,081%	0,072 % / 0,066 %	0,237% / 0,128%
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,261 g/m <sup>3</sup> / ---	0,028/0,026 g/m <sup>3</sup>	0,055 / 0,070 g/m <sup>3</sup>	0,039 / 0,037 g/m <sup>3</sup>	0,068 / 0,069 g/m <sup>3</sup>
Zapremina kotla / Boiler volume	19 l	22 l	11 l	19 l	4 l
Priključak odvoda dima / Fume outlet position	C* / U*	C* / U*	C,Z* / U,B*	C,Z* / U,B*	L,D,C,Z* / L,R,U,B*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 130 / 150 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	200 °C / ---	189,2 °C / 210,5 °C	129 °C / 160 °C	149,5 °C / 136 °C	121,2 °C / 97,2 °C
Težina / Weight	185 kg	162 kg	172 / 206 kg**	181 kg / 218,2 kg**	117 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	6,8 kg/h / ---	5,2 kg/h / 6,1 kg/h	3,3 kg/h / 3,3 kg/h	5,1 kg/h / 7,1 kg/h	2,2 kg/h / 2,7 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	138 m <sup>2</sup>	165 m <sup>2</sup> / 112 m <sup>2</sup>	92 m <sup>2</sup> / 112 m <sup>2</sup>	138 m <sup>2</sup> / 138 m <sup>2</sup>	72 m <sup>2</sup> / 92 m <sup>2</sup>

\*L - levi, D - desni, Z - zadnji, C - centralni / \*L - left, R - right, U - up, B - back

\*\*Težina sa dekorativnim kamenom / \*\*Weight with decorative stone



Thermo Vulkan				MBS Thermo Pellet		MBS Thermo Pellet		MBS Thermo Pellet	
Thermo Vulkan S	Thermo Vulkan Plus	Thermo In	Thermo Vesta	12	18	20	25	35	
790x650x580 mm	1175x650x580 mm	1000x650x545 mm	890x455x440 mm	1170x600x700 mm		1170x600x700 mm		1290x630x815 mm	
320x410x400 mm	300x425x400 mm	390x410x370 mm	410x215x335 mm						
	270x350x470 mm								
19,7 kW / 24,8 kW	24 kW / 23 kW	16 kW / 19 kW	8 kW / 11 kW	12 kW	18 kW	20 kW	25 kW	35 kW	
14 kW / 14,6 kW	15 kW / 14 kW	8 kW / 8 kW	6,5 kW / 9 kW	8 kW	14 kW	16 kW	24 kW	34 kW	
5,7 kW / 10,2 kW	9 kW / 9 kW	8 kW / 11 kW	1,5 kW / 2 kW	4 kW	4 kW	4 kW	1 kW	1 kW	
86 % / 85 %	85 % / 86 %	88 % / 87 %	83 % / 82 %	93,5 %	90 %	90 %	90 %		
0,077 % / 0,08 %	0,054 % / 0,048 %	0,092 % / 0,114 %	0,086 % / 0,077 %	0,03 %		---	---		
0,037 / 0,039 g/m <sup>3</sup>	--- / ---	0,068 / 0,065 g/m <sup>3</sup>	0,058 / 0,036 g/m <sup>3</sup>	0,03 g/m <sup>3</sup>		---	---		
24 l	18 l	23 l	4 l	46 l		70 l	70 l		
C* / U*	C* / U*	C* / U*	C* / U*	Z* / B*		Z* / B*	Z* / B*		
Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 120 mm	Ø 80 mm		Ø 80 mm	Ø 80 mm		
227,5 °C / 199 °C	178,8 °C / 171,4 °C	123,1 °C / 114 °C	142 °C / 150 °C	120 °C		---	---		
152,2 kg / 184,3 kg**	224 kg	161,5 kg	87,7 kg	197,4 kg	198,2 kg	350 kg	350 kg		
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	pellet pellet		pellet pellet	pellet pellet		
4,3 kg/h / 3,4 kg/h	5 kg/h / 4 kg/h	3,17 kg/h / 3,3 kg/h	1,6 kg/h / 1,6 kg/h	min - max 1,2 - 4,1 kg/h	min - max 1,5 - 4,9 kg/h	max 6,2 kg/h	max 6,2 kg/h	max 8,7 kg/h	
130 m <sup>2</sup> / 163 m <sup>2</sup>	152 m <sup>2</sup> / 150 m <sup>2</sup>	105 m <sup>2</sup> / 125 m <sup>2</sup>	53 m <sup>2</sup> / 72 m <sup>2</sup>	79 m <sup>2</sup>	118 m <sup>2</sup>	160 m <sup>2</sup>	160 m <sup>2</sup>	210 m <sup>2</sup>	



MODEL / MODEL	Don MBS 22	Strong pellet	Strong	AS AS LUX	Rocky
Dimenzije (VxŠxD) / Dimensions (HxWxD)	1350x660x730 mm	870x910x655 mm	865x915x655 mm	845x900x654 mm	850x900x600 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	/	/	195x200x400 mm	270x270x350 mm	400x320x450 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	/	300x300x450 mm	440x300x445 mm	270x350x470 mm	270x350x470 mm
Snaga (drvo / ugalj) / Power (wood / coal)	22 kW	11,5 kW	10 kW / 7,5 kW	8 kW	11 kW / 12 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	90 %	90 %	81 % / 80 %	78 %	81 % / 80 %
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	---	0,008%	0,07 % / 0,05 %	0,11 %	0,036 % / 0,047 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	---	0,02 g/m <sup>3</sup>	0,036 / 0,027 g/m <sup>3</sup>	0,037 g/m <sup>3</sup>	0,021 / 0,022 g/m <sup>3</sup>
Zapremina kotla / Boiler volume	41 l	/	/	/	/
Priključak odvoda dima / Fume outlet position	C* / U*	C* / U*	C,Z* / U,B*	C* / U*	C* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 80 mm	Ø 120 mm	Ø 120 / 130 mm	Ø 150 mm	Ø 150 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	120 °C	145,1 °C	211,5 °C / 181,7 °C	185 °C	178,9 °C / 190,7 °C
Težina / Weight	270 kg	207 kg	222,2 kg	155 kg	151,2 kg**
Tip goriva / Fuel type	pelet pellet	pelet pellet	drvo, ugalj wood, coal	drvo wood	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	max 4,3 kg/h	min-max 0,9 - 2,5 kg/h	3,1 kg/h / 2,5 kg/h	2,46 kg/h	3 kg/h / 4,6 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	143 m <sup>2</sup>	75 m <sup>2</sup>	65 m <sup>2</sup> / 50 m <sup>2</sup>	52 m <sup>2</sup>	72 m <sup>2</sup> / 79 m <sup>2</sup>

\*L - levi, D - desni, Z - zadnji, C - centralni / \*L - left, R - right, U - up, B - back

\*\*Težina sa dekorativnim kamenom / \*\*Weight with decorative stone



<b>Magnum Magnum S</b>	<b>Royal 720</b>	<b>Royal 900</b>	<b>Trend</b>	<b>Smederevac MBS 10</b>	<b>Smederevac MBS 9 RS</b>	<b>Smederevac MBS 9 SL</b>	<b>Smederevac MBS 7 RS</b>
860x1075x660 mm	850x720x600 mm	850x900x600 mm	855x900x495 mm	850x945x645 mm	740x945x645 mm	740x945x645 mm	740x820x645 mm
270x270x350 mm	175x250x400 mm	175x250x400 mm	270x335x370 mm	250x200x400 mm	250x200x400 mm	250x200x400 mm	250x200x400 mm
270x350x470 mm	270x350x470 mm	270x500x470 mm	205x370x325 mm	200x490x460 mm	200x490x460 mm	200x490x460 mm	200x430x460 mm
11 kW / 12 kW	8 kW / 7 kW	9 kW / 9 kW	7,5 kW/ 8 kW	11 kW / ---	11 kW / ---	11 kW / ---	9,5 kW / ---
///	///	///	///	///	///	///	///
89 % / 85 %	73 % / 71 %	60 % / 62 %	77 % / 73 %	85 % / ---	85 % / ---	60 % / ---	83 % / ---
0,21 % / 0,11 %	0,138 % / 0,055 %	0,35 % / 0,37 %	0,109 % / 0,067 %	--- / ---	--- / ---	0,38 % / ---	0,0694 % / ---
0,067g/m <sup>3</sup> / ---	0,058 / 0,056 g/m <sup>3</sup>	--- / ---	0,021 / 0,018 g/m <sup>3</sup>	--- / ---	--- / ---	--- / ---	0,0266 g/m <sup>3</sup> / ---
///	///	///	///	///	///	///	///
<b>C,Z* / U,B*</b>	<b>L,D,C,Z* / L,R,U,B*</b>	<b>L,D,C,Z* / L,R,U,B*</b>	<b>L,D* / L,R*</b>	<b>L,D,C,Z* / L,R,U,B*</b>	<b>L,D* / L,R*</b>	<b>L,D* / L,R*</b>	<b>L,D* / L,R*</b>
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
116 °C / 117 °C	131 °C / 131 °C	277 °C / ---	180 °C / 174 °C	--- / ---	--- / ---	295 °C / ---	157 °C / ---
172,4 kg / 219 kg**	110 kg	130 kg	93 kg	106,1 kg	90,7 kg	84 kg	84,3 kg
drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>
2,24 kg/h / ---	2,24 kg/h / 4,2 kg/h	2,5 kg/h / 2,4 kg/h	2,65 kg/h / 3,3 kg/h	--- / ---	--- / ---	2 kg/h / ---	2,6 kg/h / ---
72 m <sup>2</sup> / 79 m <sup>2</sup>	53 m <sup>2</sup> / 46 m <sup>2</sup>	59 m <sup>2</sup> / 59 m <sup>2</sup>	50 m <sup>2</sup> / 52 m <sup>2</sup>	72 m <sup>2</sup> / ---	72 m <sup>2</sup> / ---	72 m <sup>2</sup> / ---	63 m <sup>2</sup> / ---

TABELA TEHNIČKIH PODATAKA  
TECHNICAL DATA TABLE



MODEL / MODEL	Smederevac MBS 7 SL	Smederevac MBS 3	Eva	Elit	Vulkan Vulkan S
Dimenzije (VxŠxD) / Dimensions (HxWxD)	740x820x645 mm	740x720x570 mm	780x605x555 mm	985x588x493 mm	735x650x545 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	250x200x400 mm	195x200x300 mm	400x500x420 mm	300x400x350 mm	265x390x400 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	200x430x460 mm	200x300x400 mm	/	/	/
Snaga (drvo / ugalj) / Power (wood / coal)	8,5 kW / 9,5kW	6,5 kW / 10 kW	10 kW / ---	8,6 kW / 9 kW	17 kW / 21 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	85 % / 86 %	81 % / 85 %	75 % / ---	76 % / 74 %	83 % / 84 %
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	0,179 % / 0,174 %	0,030 % / 0,081 %	--- / ---	0,088 % / 0,067 %	0,038 % / 0,042 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,060 / 0,039 g/m <sup>3</sup>	0,038 / 0,030 g/m <sup>3</sup>	--- / ---	0,069 / 0,043 g/m <sup>3</sup>	0,038 / 0,040 g/m <sup>3</sup>
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	L,D* / L,R*	L,D* / L,R*	C* / U*	C* / U*	C* / U*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 150 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	115,6 °C / 94,2 °C	157 °C / 117,5 °C		279 °C / 297 °C	211 °C / 243 °C
Težina / Weight	84 kg	71 kg	141 kg	131,2 kg	183 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo wood	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	1,8 kg/h / 4,0 kg/h	1,5 kg/h / 2 kg/h	--- / ---	2,5 kg/h / 2,2 kg/h	3,5 kg/h / 2,8 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	56 m <sup>2</sup> / 63 m <sup>2</sup>	43 m <sup>2</sup> / 65 m <sup>2</sup>	65m <sup>2</sup> / ---	56 m <sup>2</sup> / 59 m <sup>2</sup>	112 m <sup>2</sup> / 138 m <sup>2</sup>

\*L - levi, D - desni, Z - zadnji, C - centralni / \*L - left, R - right, U - up, B - back

\*\*Težina sa dekorativnim kamenom / \*\*Weight with decorative stone



Olymp Olymp S	Olympia Olympia S	Vesta	Vesta Plus	Hit	Corner	Hera	Happy
850x580x625 mm	1120x580x625 mm	890x455x440 mm	940x455x440 mm	885x550x440 mm	885x640x575 mm	850x400x560 mm	745x400x410 mm
300x290x365 mm	300x290x365 mm	400x290x335 mm	240x325x350 mm	270x290x300 mm	270x280x300 mm	350x290x300 mm	250x270x300 mm
/	280x270x420 mm	/	/	/	/	/	/
12 kW / 12 kW	12 kW / 18 kW	9 kW / 9,5 kW	9 kW / 11 kW	11 kW / 13 kW	10 kW / 12 kW	7 kW / ---	6 kW / ---
/	/	/	/	/	/	/	/
80 % / 82 %	87 % / 87 %	85 % / 86 %	83 % / 87 %	82 % / 83 %	81 % / 86 %	89 % / ---	82 % / ---
0,046 % / 0,046 %	0,032 % / 0,04 %	0,15 % / 0,06 %	0,063 % / 0,07 %	0,037 % / 0,046 %	0,043 % / 0,041 %	0,09 % / ---	0,038 % / ---
0,04 / 0,028 g/m <sup>3</sup>	0,038 / 0,039 g/m <sup>3</sup>	0,056 / 0,057 g/m <sup>3</sup>	0,06 / 0,07 g/m <sup>3</sup>	0,036 / 0,027 g/m <sup>3</sup>	0,038 / 0,028 g/m <sup>3</sup>	0,067 g/m <sup>3</sup> / ---	0,055 g/m <sup>3</sup> / ---
/	/	/	/	/	/	/	/
Z* / B*	Z* / B*	C* / U*	C* / U*	C* / U*	C* / U*	C* / U*	C* / U*
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
216 °C / 191 °C	129 °C / 129 °C	124 °C / 142,5 °C	118 °C / 119 °C	211,8 °C / 245,9 °C	265,9 °C / 222,6 °C	182 °C / ---	221,4 °C / ---
110,6 kg / 138,9 kg	161 / 185 kg**	79 kg	87 kg	71 kg	70 kg	84 kg	54 kg
drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood, coal</b>	drvo, ugalj <b>wood</b>
2,5 kg/h / 1,6 kg/h	2,3 kg/h / 2,3 kg/h	2 kg/h / 2,2 kg/h	1,95 kg/h / 2,24 kg/h	2,2 kg/h / 1,8 kg/h	2,18 kg/h / 1,63 kg/h	1,9 kg/h / ---	1,6 kg/h / ---
78 m <sup>2</sup> / 78 m <sup>2</sup>	78 m <sup>2</sup> / 118 m <sup>2</sup>	59 m <sup>2</sup> / 63 m <sup>2</sup>	59 m <sup>2</sup> / 72 m <sup>2</sup>	72 m <sup>2</sup> / 85 m <sup>2</sup>	66 m <sup>2</sup> / 79 m <sup>2</sup>	46 m <sup>2</sup> / ---	40 m <sup>2</sup> / ---



PG-1	MBS Pellet 6 kW	MBS Pellet 8,5 kW	MBS Pellet 10 kW
870x400x490 mm	980x570x500 mm	980x570x500 mm	980x570x500 mm
380x275x300 mm			
6 kW / 6 kW	6 kW	8,5 kW	10 kW
60 % / 62 %	88 %	88 %	88 %
0,45 % / 0,45 %	0,02 %	0,02 %	0,02 %
--- / ---	0,0437 g/m <sup>3</sup>	0,0437 g/m <sup>3</sup>	0,0437 g/m <sup>3</sup>
C* / U*	Z* / B*	Z* / B*	Z* / B*
Ø 120 mm	Ø 80 mm	Ø 80 mm	Ø 80 mm
295 °C / ---	150 °C	150 °C	150 °C
67 kg	102,4 kg	102,4 kg	114,5 kg
drvo wood	pelet pellet	pelet pellet	pelet pellet
1,9 kg/h / ---	min: 0,6 kg/h max: 1,6	min: 0,6 kg/h max: 1,9 kg/h	min: 0,6 kg/h max: 2,2 kg/h
40 m <sup>2</sup> / 40 m <sup>2</sup>	40 m <sup>2</sup>	56 m <sup>2</sup>	66 m <sup>2</sup>

## Sertifikati Certificates

Sa tendencijom osvajanja svetskog tržišta, plasiranja kvaliteta i pridobijanja poverenja novih kupaca MBS 1998. Godine dobija nacionalni sertifikat za sistem kvaliteta usaglašen sa zahtevima standarda JUS ISO 9001, a 2003. godine dobijen je sertifikat od strane TÜV CERT za integrirani sistem kvaliteta i zaštite životne sredine usaglašen sa zahtevima standarda ISO 9001 i ISO 14001.

Od tog perioda pa sve do danas, nadzornim proverama i resertifikacijama, nastavlja da potvrđuje svoju opredeljenost ka zadovoljenju potreba i zahteva kupaca kroz negovanje savremenih tokova poslovanja i obezbeđenje propisanih uslova zaštite životne sredine.

**MBS has tendencies of conquering the world market, placing quality and getting confidence from a new buyers. In the year 1998 MBS had received national certificate for quality management system that is in compliance with requirements of standard JUS ISO 9001, and in the year 2003 Mbs had received certificate from TÜV CERT for integrated quality management system and environmental management system that is in accordance with requirements of standards ISO 9001 and ISO 14001.**

**From that period until now we had quality management system and environmental management system auditing and recertifications. MBS continues to confirm its dedication towards satisfying buyers demand and adopting modern ways of doing business as well as providing environmental protection regulations.**

## ISO 9001 : 2008



# CERTIFICATE

Management system as per  
**ISO 9001 : 2008**

In accordance with TUV NORD CERT procedures, it is hereby certified that

**Milan Blagojevic-MBS a.d.**  
Djure Strugara 20  
11300 Smederevo  
Serbia



applies a management system in line with the above standard for the following scope

**Design and production of electrical and non-electrical products for household and electrical and non-electrical products for the industry**

Certificate Registration No. 04 104 04218  
Audit Report No. 3017 4811

Valid until 2018-09-18  
Last date of validity in case of suspension or withdrawal of certificate  
Initial certification 2004

  
Kaas  
at TUV NORD CERT GmbH

Expiry: 2018-03-23

This certification was conducted in accordance with the TUV NORD CERT auditing and certification procedures and is subject to regular surveillance audits.

TUV NORD CERT GmbH    Langenmarkthalle 20    45141 Essen    [www.tuv-nord-cert.com](http://www.tuv-nord-cert.com)



## ISO 14001 : 2004



# CERTIFICATE

Management system as per  
**ISO 14001 : 2004**

In accordance with TUV NORD CERT procedures, it is hereby certified that

**Milan Blagojevic-MBS a.d.**  
Djure Strugara 20  
11300 Smederevo  
Serbia



applies a management system in line with the above standard for the following scope

**Design and production of electrical and non-electrical products for household and electrical and non-electrical products for the industry**

Certificate Registration No. 04 104 04218  
Audit Report No. 3017 4812

Valid until 2018-09-18  
Last date of validity in case of suspension or withdrawal of certificate  
Initial certification 2004


  
Jovanovic  
at TUV NORD CERT GmbH

Expiry: 2018-03-23

This certification was conducted in accordance with the TUV NORD CERT auditing and certification procedures and is subject to regular surveillance audits.

TUV NORD CERT GmbH    Langenmarkthalle 20    45141 Essen    [www.tuv-nord-cert.com](http://www.tuv-nord-cert.com)







**Milan Blagojević AD Smederevo**

Đure Strugara 20, 11300 Smederevo, Srbija

Tel: 026 633 600 / 026 633 601 Fax: 026 4629 941

e-mail: office@mbs.rs

**Milan Blagojevic AD Smederevo**

Djуре Strugara 20, 11300 Smederevo, Serbia

Tel: +381 26 633 600 / +381 26 633 601 Fax: +381 26 4629 941

e-mail: office@mbs.rs

